



S.M.C

Group Rating Factors for More Than One Multicore Armored or Unarmored Cables Laid on Trays, Clipped to The Surface, run In Trench

Group Rating Factors for More Than One Multicore Armored or Unarmored Cables Laid on Trays, Clipped to The Surface, run In Trench

Group Rating Factors for More Than One Multicore Armored or Unarmored Cables Laid on Trays, Clipped to The Surface, run In Trench Etc.:

No. of Load conductors	4	6	8	10	12	16	20	24	28	32	36	40
Correction Factors	0.8	0.69	0.62	0.59	0.55	0.51	0.48	0.43	0.41	0.39	0.38	0.36